

10/628068

CofC



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, on the date indicated below.

Sarah L. Henry

Typed or Printed Name of Person Sending Paper or Fee

*Sarah L. Henry*

Signature

7/10/06

Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent of:

Chen et al.

Title: METHOD FOR SPECTROPHOTOMETRIC)  
BLOOD OXYGENATION MONITORING )

Patent No.: 7,072,701 B2

Issued On: July 4, 2006

)

)

) Examiner: E. Winakur

) Group Art Unit: 3735

)

)

)

)

)

) (Docket No. 5180-0002-1-1)

)

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
**JUL 14 2006**  
**of Correction**

REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 C.F.R. 1.322 OFFICE MISTAKE

S I R:


In proofreading the above-referenced patent, errors were noted which are believed to possibly lead to confusion and/or mistake. Accordingly, the issuance of a Certificate of Correction is requested under Rule 1.322.

Column 9, line 56, please delete "pathiength" and insert "pathlength".

Column 11, line 42, please delete "physiological" and insert "physiological".

Enclosed please find Form PTO/SB/44. As this error is on the part of the Patent Office, Patentee believes no fee is due for filing this request. However, if it is determined that a fee is required, please charge Deposit Account No. 50-3381. If there are any questions, Patentee's Attorney should be contacted at the below listed telephone number.

Respectfully submitted,



---

Richard D. Getz  
Registration No. 36,147  
Attorney for Patentee(s)  
O'Shea, Getz & Kosakowski, P.C.  
1500 Main Street, Suite 912  
Springfield, MA 01115  
(413) 731-3100, x103

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,072,701  
APPLICATION NO.: 10/628,068  
ISSUE DATE : July 4, 2006  
INVENTOR(S) : Chen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, line 56, please delete "pathiength" and insert "pathlength".

Column 11, line 42, please delete "physiological" and insert "physiological".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

O'Shea, Getz & Kosakowski, P.C.  
1500 Main Street, Suite 912  
Springfield, MA 01115

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

ZUUB